



Professional Testing Labs, Inc

4918 Crater Lake Ave.
 Medford, OR 97504
 (541) 816-4166
 OLCC# 10156338460

Certificate of Analysis

Not or OLCC/OHA regulatory compliance
 For informational purposes only

Report Number: 220606rda_1_220624

Report Date: 06/24/2022

Sample Type: Cannabis Drink	Client: embodygreen	Date Received: 6/6/22	Sampling Method: SOP 033
Metric Batch ID: N/A	Metric Source ID Last 4: N/A	Lab Sample ID: 220606rda_1	Client Address: 1 Hawthorne Street, Suite 24A San Francisco, CA 94105
License: N/A	Testing Performed: PO, PE	Comments and Descriptions: B87A15222B (1)	

Potency

	55.38 mg total		
	Total CBDs		
Moisture Content		Water Activity	
	Not Tested		Not Tested

Pesticides Residual Solvents Mycotoxins Cannabinoid Ratios

	Pass		Not Tested		Not Tested		Cannabinoids: 0.18mg/g Total THC: 0.01mg/g Total CBD: 0.16mg/g Total Minors: 0.02mg/g
--	------	--	------------	--	------------	--	--

Total THC and Total CBD are calculated in accordance with Oregon reporting requirement (OAR 333-064-0100). For cannabinoid analysis, only CBDA, CBD, THC, and THCA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are corrected for dry weight. Oregon water activity action level is 0.65aw and moisture content action level is 15%. Pesticide limits determined by OAR 333-007-0400: Table 3. Residual Solvent limits determined by OAR 333-007-0410: Table 4. This report shall not be reproduced, unless in its entirety, without approval from Professional Testing Labs, Inc. Test results relate only to the sample material analyzed.

Approved by/date:

 Elijah Ballantyne
 Technical Director
 06/24/2022



Professional Testing Labs, Inc

4918 Crater Lake Ave.
 Medford, OR 97504
 (541) 816-4166
 OLCC# 10156338460


Certificate of Analysis

Not or OLCC/OHA regulatory compliance
 For informational purposes only

Report Number: 220606rda_1_220624
 Report Date: 06/24/2022

Sample Type: Cannabis Drink	Client: embodygreen	Lab Sample ID: 220606rda_1	Grower License #: N/A
Date Received: 6/6/22	Harvest Date #: N/A	Sampling Method: SOP 033	Testing Performed: PO PE
Metric Batch ID: N/A	Client Address: 1 Hawthorne Street, Suite 24A San Francisco, CA 94105	Comments and Description: 55.38 mg/can	

Cannabinoid Analysis			
Date: 06/6/2022	Batch: PO220606rda	Analyst(s): JT,JT	Method: SOP 041
Analyte	mg/g	LOQ (%)	Notes
CBDA	0.142	0.001	
CBD	0.014	0.001	
THC	<LOQ	0.001	
THCA	0.007	0.001	
CBDV	<LOQ	0.001	
CBGA	0.012	0.001	
CBG	<LOQ	0.001	
THCV	<LOQ	0.001	
CBN	<LOQ	0.001	
Δ8-THC	<LOQ	0.001	
Δ10-THC	<LOQ	0.001	
CBC	<LOQ	0.001	
CBCA	0.008	0.001	
Total CBD	0.156	CBDA+CBD= Total CBD	
Total THC	0.006	THCA+THC= Total THC	
Total Minors	0.020	SUM% of Minor Cannabinoids	
Total Cannabinoids	0.183	Sum % Cannabinoids = Total Cannabinoids	



Moisture Content - Not Tested	
Date: NT	Analyst: NT
Method: SOP 047	
Moisture Content (%): Not Tested	

Water Activity - Not Tested	
Date: NT	Analyst: NT
Method: SOP 043	
Water Activity (aw): Not Tested	

LOQ = Limit of Quantitation, ND = Not Detected NT = Not Tested. Total THC and Total CBD are calculated in accordance with Oregon reporting requirement (OAR 333-064-0100). For cannabinoid analysis, only CBDA, CBD, THC, and THCA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are corrected for dry weight. Oregon water activity action level is 0.65aw and moisture content action level is 15%. Shown values have been rounded to 3 decimal digits, whereas calculations are performed with all available digits. This report shall not be reproduced, unless in its entirety, without approval from Professional Testing Labs, Inc. Test results relate only to the sample material analyzed.

Approved by/date:

 Elijah Ballantyne
 Technical Director
 06/24/2022


Professional Testing Labs, Inc

4918 Crater Lake Ave.

Medford, OR 97504

(541) 816-4166

OLCC# 10156338460

Certificate of Analysis

 Not or OLCC/OHA regulatory compliance
 For informational purposes only

Report Number: 220606rda_1_220624

Report Date: 06/24/2022

Cannabinoid Analysis - Blank (220606rda_BMX) - Pass

Date: 06/6/2022		Batch: PO220606rda		Prep Analyst: JT	Data Analyst: JT	SOP: 041
Analyte	% Dry Weight	LOQ (%)	Recovery Limits	Notes		
CBDA	<LOQ	0.05	<LOQ			
CBD	<LOQ	0.05	<LOQ			
THC	<LOQ	0.05	<LOQ			
THCA	<LOQ	0.05	<LOQ			

Cannabinoid Analysis - LCS (220606rda_LCS) - Pass

Date: 06/6/2022		Batch: PO220606rda		Prep Analyst: JT	Data Analyst: JT	SOP: 041
Analyte	% Recovery	LOQ (%)	Recovery Limits	Notes		
CBDA	94.084	0.05	80-120%			
CBD	99.912	0.05	80-120%			
THC	103.488	0.05	80-120%			
THCA	102.176	0.05	80-120%			

LOQ = Limit of Quantitation, ND = Not Detected NT = Not Tested. Total THC and Total CBD are calculated in accordance with Oregon reporting requirement (OAR 333-064-0100). For cannabinoid analysis, only CBDA, CBD, THC, and THCA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are corrected for dry weight. Oregon water activity action level is 0.65aw and moisture content action level is 15%.

This report shall not be reproduced, unless in its entirety, without approval from Professional Testing Labs, Inc. Test results relate only to the sample material analyzed.

Approved by/date:

 Elijah Ballantyne
 Technical Director

06/24/2022


Professional Testing Labs, Inc

4918 Crater Lake Ave.
Medford, OR 97504
(541) 816-4166
OLCC# 10156338460

Certificate of Analysis

Not or OLCC/OHA regulatory compliance
For informational purposes only

Report Number: 220606rda_1_220624

Report Date: 06/24/2022

Pesticide Analysis - (220606rda_1) - Pass


Date: 06/6/2022		Batch: PE220606rda		Prep Analyst: JT		Data Analyst: AE		SOP: 049	
Analyte	Result (ppm)	Action Level	LOQ (ppm)	Analyte	Result (ppm)	Action Level	LOQ (ppm)		
Abamectin	<LOQ	0.5	0.25	Imazalil	<LOQ	0.2	0.1		
Acephate	<LOQ	0.4	0.2	Imidacloprid	<LOQ	0.4	0.2		
Acequinocyl	<LOQ	2.0	1.0	Kresoxim-Methyl	<LOQ	0.4	0.2		
Acetamiprid	<LOQ	0.2	0.1	Malathion	<LOQ	0.2	0.1		
Aldicarb	<LOQ	0.4	0.2	Metalaxyl	<LOQ	0.2	0.1		
Azoxystrobin	<LOQ	0.2	0.1	Methiocarb	<LOQ	0.2	0.1		
Bifenazate	<LOQ	0.2	0.1	Methomyl	<LOQ	0.4	0.2		
Bifenthrin	<LOQ	0.2	0.1	Methyl Parathion	<LOQ	0.2	0.1		
Boscalid	<LOQ	0.4	0.2	MGK-264	<LOQ	0.2	0.1		
Carbaryl	<LOQ	0.2	0.1	Myclobutanil	<LOQ	0.2	0.1		
Carbofuran	<LOQ	0.2	0.1	Naled	<LOQ	0.5	0.25		
Chlorantraniliprole	<LOQ	0.2	0.1	Oxamyl	<LOQ	1.0	0.5		
Chlorfenapyr	<LOQ	1.0	0.5	Paclobutrazol	<LOQ	0.4	0.2		
Chlorpyrifos	<LOQ	0.2	0.1	Permethrins ¹	<LOQ	0.2	0.1		
Clofentezine	<LOQ	0.2	0.1	Phosmet	<LOQ	0.2	0.1		
Cyfluthrin	<LOQ	1.0	0.5	Piperonyl Butoxide	<LOQ	2.0	1.0		
Cypermethrin	<LOQ	1.0	0.5	Prallethrin	<LOQ	0.2	0.1		
Daminozide	<LOQ	1.0	0.5	Propiconazole	<LOQ	0.4	0.2		
Dichlorvos	<LOQ	1.0	0.5	Propoxur	<LOQ	0.2	0.1		
Diazinon	<LOQ	0.2	0.1	Pyrethrins ²	<LOQ	1.0	0.5		
Dimethoate	<LOQ	0.2	0.1	Pyridaben	<LOQ	0.2	0.1		
Ethoprophos	<LOQ	0.2	0.1	Spinosad ³	<LOQ	0.2	0.1		
Etofenprox	<LOQ	0.4	0.2	Spiromesifen	<LOQ	0.2	0.1		
Etoxazole	<LOQ	0.2	0.1	Spirotetramat	<LOQ	0.2	0.1		
Fenoxycarb	<LOQ	0.2	0.1	Spiroxamine	<LOQ	0.4	0.2		
Fenpyroximate	<LOQ	0.4	0.2	Tebuconazole	<LOQ	0.4	0.2		
Fipronil	<LOQ	0.4	0.2	Thiacloprid	<LOQ	0.2	0.1		
Flonicamid	<LOQ	1.0	0.5	Thiamethoxam	<LOQ	0.2	0.1		
Fludioxonil	<LOQ	0.4	0.2	Trifloxystrobin	<LOQ	0.2	0.1		
Hexythiazox	<LOQ	1.0	0.5						

¹ Permethrins are measured as the cumulative residues of cis and trans isomers.

² Pyrethrins are measured as the cumulative residues of pyrethrin 1, cinerin 1, and jamlolin 1.

³ Spinosad is calculated as a sum of isomers Spinosad A and Spinosad D.

Approved by/date:


 Elijah Ballantyne
 Technical Director
 06/24/2022


Professional Testing Labs, Inc

4918 Crater Lake Ave.
Medford, OR 97504
(541) 816-4166
OLCC# 10156338460

Certificate of Analysis

Not or OLCC/OHA regulatory compliance
For informational purposes only

Report Number: 220606rda_1_220624

Report Date: 06/24/2022

Pesticide Analysis - Blank (220606rda_MBX) - Pass

Date: 06/6/2022		Batch: PE220606rda		Prep Analyst: JT		Data Analyst: AE		SOP: 049	
Analyte	Result (ppm)	Recovery Limits (%)	LOQ (ppm)	Analyte	Result (ppm)	Recovery Limits (%)	LOQ (ppm)		
Abamectin	<LOQ	<LOQ	0.25	Imazalil	<LOQ	<LOQ	0.1		
Acephate	<LOQ	<LOQ	0.2	Imidacloprid	<LOQ	<LOQ	0.2		
Acequinocyl	<LOQ	<LOQ	1.0	Kresoxim-methyl	<LOQ	<LOQ	0.2		
Acetamiprid	<LOQ	<LOQ	0.1	Malathion	<LOQ	<LOQ	0.1		
Aldicarb	<LOQ	<LOQ	0.2	Metalaxyl	<LOQ	<LOQ	0.1		
Azoxystrobin	<LOQ	<LOQ	0.1	Methiocarb	<LOQ	<LOQ	0.1		
Bifenazate	<LOQ	<LOQ	0.1	Methomyl	<LOQ	<LOQ	0.2		
Bifenthrin	<LOQ	<LOQ	0.1	Methyl parathion	<LOQ	<LOQ	0.1		
Boscalid	<LOQ	<LOQ	0.2	MGK-264	<LOQ	<LOQ	0.1		
Carbaryl	<LOQ	<LOQ	0.1	Myclobutanil	<LOQ	<LOQ	0.1		
Carbofuran	<LOQ	<LOQ	0.1	Naled	<LOQ	<LOQ	0.25		
Chlorantraniliprole	<LOQ	<LOQ	0.1	Oxamyl	<LOQ	<LOQ	0.5		
Chlorfenapyr	<LOQ	<LOQ	0.1	Paclobutrazol	<LOQ	<LOQ	0.2		
Chlorpyrifos	<LOQ	<LOQ	0.5	Permethrins ¹	<LOQ	<LOQ	0.1		
Clofentezine	<LOQ	<LOQ	0.1	Phosmet	<LOQ	<LOQ	0.1		
Cyfluthrin	<LOQ	<LOQ	0.5	Piperonyl butoxide	<LOQ	<LOQ	1.0		
Cypermethrin	<LOQ	<LOQ	0.5	Prallethrin	<LOQ	<LOQ	0.1		
Daminozide	<LOQ	<LOQ	0.5	Propiconazole	<LOQ	<LOQ	0.2		
Dichlorvos	<LOQ	<LOQ	0.5	Propoxur	<LOQ	<LOQ	0.1		
Diazinon	<LOQ	<LOQ	0.1	Pyrethrins ²	<LOQ	<LOQ	0.5		
Dimethoate	<LOQ	<LOQ	0.1	Pyridaben	<LOQ	<LOQ	0.1		
Ethoprophos	<LOQ	<LOQ	0.1	Spinosad ³	<LOQ	<LOQ	0.1		
Etofenprox	<LOQ	<LOQ	0.2	Spiromesifen	<LOQ	<LOQ	0.1		
Etoxazole	<LOQ	<LOQ	0.1	Spirotetramat	<LOQ	<LOQ	0.1		
Fenoxycarb	<LOQ	<LOQ	0.1	Spiroxamine	<LOQ	<LOQ	0.2		
Fenpyroximate	<LOQ	<LOQ	0.2	Tebuconazole	<LOQ	<LOQ	0.2		
Fipronil	<LOQ	<LOQ	0.2	Thiacloprid	<LOQ	<LOQ	0.1		
Flonicamid	<LOQ	<LOQ	0.5	Thiamethoxam	<LOQ	<LOQ	0.1		
Fludioxonil	<LOQ	<LOQ	0.2	Trifloxystrobin	<LOQ	<LOQ	0.1		
Hexythiazox	<LOQ	<LOQ	0.5						

¹ Permethrins are measured as the cumulative residues of cis and trans isomers.

² Pyrethrins are measured as the cumulative residues of pyrethrin 1, cinerin 1, and jamlolin 1.

³ Spinosad is calculated as a sum of isomers Spinosad A and Spinosad D.

Approved by/date:

Elijah Ballantyne
Technical Director

06/24/2022



Professional Testing Labs, Inc

4918 Crater Lake Ave.
Medford, OR 97504
(541) 816-4166
OLCC# 10156338460

Certificate of Analysis

Not for OLCC/OHA regulatory compliance
For informational purposes only

Report Number: 220606rda_1_220624
Report Date: 06/24/2022

Notes: NA

END OF REPORT

Approved by/date:


Elijah Ballantyne
Technical Director
06/24/2022